

Extra features for Farming Simulator 2011

Pro Farm 1

New machinery, 3D Objects and Map



Important Health Warning About Playing Video Games

Photosensitive Seizures

A very small percentage of people may experience a seizure when exposed to certain visual images, including flashing lights or patterns that may appear in video games. Even people who have no history of seizures or epilepsy may have an undiagnosed condition that can cause these “photosensitive epileptic seizures” while watching video games.

These seizures may have a variety of symptoms, including lightheadedness, altered vision, eye or face twitching, jerking or shaking of arms or legs, disorientation, confusion, or momentary loss of awareness. Seizures may also cause loss of consciousness or convulsions that can lead to injury from falling down or striking nearby objects.

Immediately stop playing and consult a doctor if you experience any of these symptoms. Parents should watch for or ask their children about the above symptoms—children and teenagers are more likely than adults to experience these seizures. The risk of photosensitive epileptic seizures may be reduced by taking the following precautions: Sit farther from the screen; use a smaller screen; play in a well-lit room; and do not play when you are drowsy or fatigued.

If you or any of your relatives have a history of seizures or epilepsy, consult a doctor before playing.

PEGI ratings and guidance applicable within PEGI markets only.

What is the PEGI System?

The PEGI age-rating system protects minors from games unsuitable for their particular age group. PLEASE NOTE it is not a guide to gaming difficulty. Comprising two parts, PEGI allows parents and those purchasing games for children to make an informed choice appropriate to the age of the intended player. The first part is an age rating:



The second is icons indicating the type of content in the game. Depending on the game, there may be a number of such icons. The age-rating of the game reflects the intensity of this content. The icons are:



For further information visit <http://www.pegi.info> and pegonline.eu

Introduction

Pro Farm 1 is the first add-on from Halycon for the popular Farming Simulator 2011 brought to you by Excalibur Publishing – the official publisher of Farming Simulator in the UK. In addition to a completely re-designed landscape, this add-on includes complex detailed vehicles and numerous new 3D objects, some of which are animated. These were created in co-operation with the original manufacturers New Holland, Fliegl and Väderstad with great attention to detail.

We hope you will have just as much fun playing Pro Farm as we did creating it.

System requirements

In order to be able to play the “Pro Farm 1” add-on, you require a PC-compatible computer equipped as follows:

- Previously installed full version of Farming Simulator 2011 (version 2.2 or higher)
- Windows XP / Vista / Windows 7
- Intel or AMD with 2.4 GHz or comparable (Core2Duo or comparable recommended)
- 2.0 GB main memory
- 3D graphic card with 512 MB, 1,024 MB graphic memory recommended (onboard graphic cards are not supported!)
- 750 MB free hard disk space
- Sound card
- CD drive, keyboard and mouse
- **Access to the Internet is required for activation**

Installation

1. Insert the CD into the CD/DVD drive of your computer and the installation should start automatically.
2. If the AutoPlay function has been deactivated, to start the installation you will need to click on My Computer, choose your CD or DVD drive and then double click the file with the name setup or setup.exe.
3. Note: During the install it can take several minutes for the set-up programme to be read off the disc.
4. Enter your personal activation code into the window that is displayed on the screen. You will find this on the inside of the box inlay (left hand side).
IMPORTANT - you are required to be connected to the Internet when entering the code.
5. Follow the instructions on the screen to complete the install.
6. To access the new map run Farming Simulator 2011.
7. Go to the “Career” menu item.
8. Select an empty save game location.
9. Then select the degree of difficulty.
10. The map selection is then displayed. Select the “Riverside” map.
11. You can start work at your new farm after loading has completed.

Game controls

Tractors:

Horn:	[O]
Helper:	[H]
Fill tank:	[T]
Change camera:	[C]
Headlights:	[F]
VO/HI work light:	[Num 5] / [Num 8]
Rotating beacon:	[Pos 1]
Couple/decouple equipment:	[Q]
Open window	[5]
Open door	[6]
Left/right/warning indicator:	[Num 1] / [Num 3] / [Num 2]

Thresher:

Helper:	[H]
Horn:	[O]
Fill tank:	[T]
Couple/decouple equipment:	[Q]
Change camera:	[C]
Work mode/street mode:	[M]
Extend draining pipe:	[B]
Activate thresher:	[J]
Rotating beacon:	[Pos 1]
Headlights:	[F]
VO/HI work light:	[Num 8] / [Num 5]
Left/right/warning indicator:	[Num 1] / [Num 3] / [Num 2]
Activate/deactivate straw chopper:	[N]
Fix cutter to vehicle:	[X]
Extend/retract maize header:	[X]
Raise/lower reel:	[left mouse button] + mouse up/down

Reel forwards/backwards:	[left mouse button] + mouse left/rights
Raise/lower cutter:	[V]

Fliegl:

Activate straw flap:	[B]
Switch through functions:	[G]
Control functions:	[Page UP] / [Page DOWN]
Tip:	[Q]

Drill:

Fill:	[R]
Open or close flap:	[X]
Switch on or off:	[B]
Select seed:	[O]
Left/right track tracer:	[N] / [M]
Tramlining on/off:	[J]
Raise/lower:	[V]

Map:

Multisilo:

Select fruit type:	[O]
Fill trailer:	[B]



The Riverside map



Welcome to Riverside

A meandering river flows through the hilly landscape around Riverside. Your farm is located underneath the pastures next to the main road to the North of the river. Your fields are also on this side of the river. Among other things, a small mill for milling wheat and barley is situated on the banks of the river.

In the village just below the river, the “Riverside Agripoint” unloading area with its distinctive high silos can be clearly seen. The offices of the agricultural machine dealer are also on the same premises.

A map overview can be found on the cover page of this user manual. Just explore the wonderful landscape around Riverside and enjoy the wealth of details. If you just stop and cannot drive any further, this is not a fault. Riverside is not an island so it was necessary to create “artificial walls” to give you the impression of never-ending surroundings.



Tractor technical data



New Holland TG 285 tractor

Engine power:	208 kw at 2200 min-1
Tank capacity:	600 litres
Max. speed:	40 km/h
Dimensions (L/W/H):	5.49 m / 2.67 m / 3.27 m
Features:	SuperSteer™ front axle drive: 18 forward and 5 reverse gears



New Holland T 4050 tractor

Engine power:	71 kw at 2300 min-1
Tank capacity:	90 litres
Max. speed:	40 km/h
Dimensions (L/W/H):	3.50 m / 2.03 m / 2.44 m
Gears:	ShuttleCommand™



Combine harvester technical data



New Holland CX 880 combine harvester

Engine power:	290 kw at 2000 min-1
Diesel tank capacity:	1,000 litres
Max. speed:	30 km/h
Dimensions (L/W/H):	9.07 m / 3.70 m / 3.92 m
Features:	10,500 litres corn tank capacity, electronically controlled power, max. cutting width 9.15 m SmartSteer™ automatic steering, under-floor shredder, automatic cutting control, 6 shakers, unloading speed, 110 litres/sec.
Gearbox:	hydrostatic gear gearbox cutting tool: 9.15 m wide, VariFeed™



New Holland TX 65 combine harvester

Engine power:	211 kw at 2100 min-1
Diesel tank capacity:	750 litres
Max speed:	25 km/h
Features:	corn tank capacity 8,000 litres, 5 shakers, max. cutting width 7.32 m, unloading speed. 85 litres/sec, Self Leveling™
Gearbox:	stepless
Cutter:	6.5 m width, belt drive, adjustable reel, rapeseed table

Trailer technical data



Fliegl ASW 268 trailer

Load capacity:	25,000 litres
Features:	electronic forced steering ForCon Plus™, hydraulic shaft spring, coupled spreader, hydraulic supporting foot
Dimensions (L/W/H):	9.30 m / 2.60 m / 3.70 m



Fliegl ASW 288 trailer

Load capacity:	35,000 litres
Features:	electronic forced steering ForCon Plus™, hydraulic shaft spring, hydraulic supporting foot, coupled spreader
Dimensions (L/W/H):	11.40 m / 2.60 m / 3.70 m



Fliegl ASW 493 trailer

Load capacity:	45,000 litres
Features:	electronic forced steering ForCon Plus™, hydraulic shaft spring, hydraulic supporting foot, coupled spreader
Dimensions (L/W/H):	12.40 m / 2.60 m / 3.70 m



Fliegl ASS/ASW 291 trailer

Load capacity:	45,000 litres
Features:	ForCon Plus™, manual supporting feet
Dimensions (L/W/H):	10.30 m / 2.60 m / 3.70 m



Fliegl ASS/ASW 399 trailer

Load capacity:	60,000 litres
Features:	ForCon electronic forced steering Plus™, hydraulic shaft spring, hydraulic supporting foot
Dimensions (L/W/H):	11,80 m / 2.60 m / 3.70 m



Fliegl ASD 291 Dolly

Weight:	1,900 kg
Dimensions (L/W/H):	5.00 m / 2.60 m / 1.40 m



Fliegl ASD 399 Dolly

Weight:	2,500 kg
Dimensions (L/W/H):	5.50 m / 2.60 m / 1.40 m



Väderstad Spirit 600S drill

Type:	direct seed drilling
Capacity:	3,900 litres
Features:	left and right track tracer, tramlining

Product registration at Halycon Media

Please be aware that the each serial number can only be registered once. Please do not disclose your personal serial number to others.

Technical Support & Troubleshooting

Keep posted to www.excalibur-publishing.com for the latest info on Pro Farm 1 including any updates that may be released. On www.excalibur-publishing.com you can access the Frequently Asked Questions (FAQs) by clicking the PRODUCT SUPPORT/FAQS AND DOWNLOADS link on the left side of the main page.

If your problem has not been addressed, or if you want to send any comments on Pro Farm 1 send an e-mail to support@excalibur-publishing.com and our support team will respond as soon as possible.

Before contacting technical support with a problem, be sure you have done the following:

- Followed the Install Guide completely
- Read the Readme file completely
- Have installed Farming Simulator 2011 (this add-on requires it to run)
- Have checked the website for any updates
- Have downloaded and installed any updates

When contacting technical support, be sure to include the following information:

- Operating System (Window XP, Vista, Windows 7)
- The exact name of the product – Pro Farm 1
- Serial key (found on the front of the printed manual)
- Report any and all error messages reported or report the problem you are having by providing a step-by-step
- If it is a visual problem, describe the screen with as much detail as you can.

Frequently Asked Questions

Where can I tip out my cereals?

Your harvested crops can be unloaded at three different unloading stations:

- You can sell all harvested crops at the “Riverside Agripoint” on the map. The general store can be found in the village and the silver silos make it easy to see.

- The small mill at the river only buys wheat and barley and pays a good price.
- Of course you can store the cereals in your own silos until you can get a better price.

How can I buy seed and fertilisers?

Both can be found at your farm.

Where is the agricultural machine dealer?

The dealer belongs to the “Riverside Agripoint” company and can be found on the same premises.

How can I feed my cows?

A trough is situated in the cowshed that can be filled with the grass collected on the loader. (Fill type: “grass”). Simply drive through the cowshed with the filled loader and the unloading symbol will be displayed.

Where can I get rid of my straw?

You can also distribute straw bales over the trough in the cowshed so that the cows do not have to stand on the cold stone floor. The straw bales are converted to muck and liquid manure and can be brought to the next extraction location in a muck spreader or manure tank. A number of bales can be thrown onto the dung heap at the same time.

Silage can be tipped into the existing silo behind the cowshed.

Credits

Development and programming Co-ordination, material acquisition, sounds

Chris “CeeZee” Zoltán

Landscape design

Jan-Hendrik “pfreek” Pfitzner / Lukas “ukilus” Bürger / Philipp “Aushilfe” Beckmeier

3D artists

Lothar Hake / Marco “funker” Pohl / Norman “SWAT” Görk / Sascha “Ventyres” Rindt
Martel “Snaip” Rachev
Jens “Agrotron 130” Pruin

Programmers

Sven “Sven777b” Bräutigam / Patrick “yekk1” Sülzner / Manuel “Face” Leithner

Beta testers

Jan-Hendrik “pfreek” Pfitzner / Chris “CeeZee” Zoltan / Marco “funker” Pohl

Patrick "yekk1" Sülzner / Stephan "pseudofarmer" Kiliszek

Copyrights

Special thanks to Agrartechnik Altenberge and their employees

Landwirtschaftliches Lohnunternehmen Jochen Schäkel, Steinfeld/Rehhorst

Pechtheyden Landtechnik: Carsten Clev

New Holland Germany: Frederik Klein

Väderstad: Helene Oskarsson

Fiegl: Angelika Fiegl

GIANTS Software: Christian Ammann

Publishing Halycon Media

www.halycon.de

Volker Rieck

Product management / manual: Wineberger Projektmanagement

www.wineberger.de

Eckhard Wineberger

HDR Foto inside cover: Adrian Rieck

Further information at www.profarm-online.de and www.halycon.de

Pro Farm 1



**EXCALIBUR
PUBLISHING**

www.excalibur-publishing.com

Pro Farm 1 © 2011 Halycon Media GmbH & Co. KG

© 2011 Excalibur Publishing Limited, P.O. Box 586 Banbury OX16 6BY